

>

AS568계열I

AS568계열 II

JIS B2401계열
(P,G,V)

K계열 I

K계열 II

900계열

비규격
연결오링

오링 규격

■ JIS B2401계열(P,G,V)오링

●P 계열오링

| 부품번호 | 규격 | | 부품번호 | 규격 | |
|-------|------|-----|-------|-------|-----|
| | 내경 | 두께 | | 내경 | 두께 |
| P3 | 2.8 | 1.9 | P71 | 70.6 | 5.7 |
| P4 | 3.8 | 1.9 | P75 | 74.6 | 5.7 |
| P5 | 4.8 | 1.9 | P80 | 79.6 | 5.7 |
| P6 | 5.8 | 1.9 | P85 | 84.6 | 5.7 |
| P7 | 6.8 | 1.9 | P90 | 89.6 | 5.7 |
| P8 | 7.8 | 1.9 | P95 | 94.6 | 5.7 |
| P9 | 8.8 | 1.9 | P100 | 99.6 | 5.7 |
| P10 | 9.8 | 1.9 | P102 | 101.6 | 5.7 |
| P10A | 9.8 | 2.4 | P105 | 104.6 | 5.7 |
| P11 | 10.8 | 2.4 | P110 | 109.6 | 5.7 |
| P11.2 | 11.0 | 2.4 | P112 | 111.6 | 5.7 |
| P12 | 11.8 | 2.4 | P115 | 114.6 | 5.7 |
| P12.5 | 12.3 | 2.4 | P120 | 119.6 | 5.7 |
| P14 | 13.8 | 2.4 | P125 | 124.6 | 5.7 |
| P15 | 14.8 | 2.4 | P130 | 129.6 | 5.7 |
| P16 | 15.8 | 2.4 | P132 | 131.6 | 5.7 |
| P18 | 17.8 | 2.4 | P135 | 134.6 | 5.7 |
| P20 | 19.8 | 2.4 | P140 | 139.6 | 5.7 |
| P21 | 20.8 | 2.4 | P145 | 144.6 | 5.7 |
| P22 | 21.8 | 2.4 | P150 | 149.6 | 5.7 |
| P22A | 21.7 | 3.5 | P150A | 149.5 | 8.4 |
| P22.4 | 22.1 | 3.5 | P155 | 154.5 | 8.4 |
| P24 | 23.7 | 3.5 | P160 | 159.5 | 8.4 |
| P25 | 24.7 | 3.5 | P165 | 164.5 | 8.4 |
| P25.5 | 25.2 | 3.5 | P170 | 169.5 | 8.4 |
| P26 | 25.7 | 3.5 | P175 | 174.5 | 8.4 |
| P28 | 27.7 | 3.5 | P180 | 179.5 | 8.4 |
| P29 | 28.7 | 3.5 | P185 | 184.5 | 8.4 |
| P29.5 | 29.2 | 3.5 | P190 | 189.5 | 8.4 |
| P30 | 29.7 | 3.5 | P195 | 194.5 | 8.4 |
| P31 | 30.7 | 3.5 | P200 | 199.5 | 8.4 |
| P31.5 | 31.2 | 3.5 | P205 | 204.5 | 8.4 |
| P32 | 31.7 | 3.5 | P209 | 208.5 | 8.4 |
| P34 | 33.7 | 3.5 | P210 | 209.5 | 8.4 |
| P35 | 34.7 | 3.5 | P215 | 214.5 | 8.4 |
| P35.5 | 35.2 | 3.5 | P220 | 219.5 | 8.4 |
| P36 | 35.7 | 3.5 | P225 | 224.5 | 8.4 |
| P38 | 37.7 | 3.5 | P230 | 229.5 | 8.4 |
| P39 | 38.7 | 3.5 | P235 | 234.5 | 8.4 |
| P40 | 39.7 | 3.5 | P240 | 239.5 | 8.4 |
| P41 | 40.7 | 3.5 | P245 | 244.5 | 8.4 |
| P42 | 41.7 | 3.5 | P250 | 249.5 | 8.4 |
| P44 | 43.7 | 3.5 | P255 | 254.5 | 8.4 |
| P45 | 44.7 | 3.5 | P260 | 259.5 | 8.4 |
| P46 | 45.7 | 3.5 | P265 | 264.5 | 8.4 |
| P48 | 47.7 | 3.5 | P270 | 269.5 | 8.4 |
| P49 | 48.7 | 3.5 | P275 | 274.5 | 8.4 |
| P50 | 49.7 | 3.5 | P280 | 279.5 | 8.4 |
| P48A | 47.6 | 5.7 | P285 | 284.5 | 8.4 |
| P50A | 49.6 | 5.7 | P290 | 289.5 | 8.4 |
| P52 | 51.6 | 5.7 | P295 | 294.5 | 8.4 |
| P53 | 52.6 | 5.7 | P300 | 299.5 | 8.4 |
| P55 | 54.6 | 5.7 | P315 | 314.5 | 8.4 |

●G 계열오링

| 부품번호 | 규격 | | 부품번호 | 규격 | |
|------|-------|-----|------|-------|-----|
| | 내경 | 두께 | | 내경 | 두께 |
| G25 | 24.4 | 3.1 | G25 | 24.4 | 3.1 |
| G30 | 29.4 | 3.1 | G30 | 29.4 | 3.1 |
| G35 | 34.4 | 3.1 | G35 | 34.4 | 3.1 |
| G40 | 39.4 | 3.1 | G40 | 39.4 | 3.1 |
| G45 | 44.4 | 3.1 | G45 | 44.4 | 3.1 |
| G50 | 49.4 | 3.1 | G50 | 49.4 | 3.1 |
| G55 | 54.4 | 3.1 | G55 | 54.4 | 3.1 |
| G60 | 59.4 | 3.1 | G60 | 59.4 | 3.1 |
| G65 | 64.4 | 3.1 | G65 | 64.4 | 3.1 |
| G70 | 69.4 | 3.1 | G70 | 69.4 | 3.1 |
| G75 | 74.4 | 3.1 | G75 | 74.4 | 3.1 |
| G80 | 79.4 | 3.1 | G80 | 79.4 | 3.1 |
| G85 | 84.4 | 3.1 | G85 | 84.4 | 3.1 |
| G90 | 89.4 | 3.1 | G90 | 89.4 | 3.1 |
| G95 | 94.4 | 3.1 | G95 | 94.4 | 3.1 |
| G100 | 99.4 | 3.1 | G100 | 99.4 | 3.1 |
| G105 | 104.4 | 3.1 | G105 | 104.4 | 3.1 |
| G110 | 109.4 | 3.1 | G110 | 109.4 | 3.1 |
| G115 | 114.4 | 3.1 | G115 | 114.4 | 3.1 |
| G120 | 119.4 | 3.1 | G120 | 119.4 | 3.1 |
| G125 | 124.4 | 3.1 | G125 | 124.4 | 3.1 |
| G130 | 129.4 | 3.1 | G130 | 129.4 | 3.1 |
| G135 | 134.4 | 3.1 | G135 | 134.4 | 3.1 |
| G140 | 139.4 | 3.1 | G140 | 139.4 | 3.1 |
| G145 | 144.4 | 3.1 | G145 | 144.4 | 3.1 |
| G150 | 149.3 | 5.7 | G150 | 149.3 | 5.7 |
| G155 | 154.3 | 5.7 | G155 | 154.3 | 5.7 |
| G160 | 159.3 | 5.7 | G160 | 159.3 | 5.7 |
| G165 | 164.3 | 5.7 | G165 | 164.3 | 5.7 |
| G170 | 169.3 | 5.7 | G170 | 169.3 | 5.7 |
| G175 | 174.3 | 5.7 | G175 | 174.3 | 5.7 |
| G180 | 179.3 | 5.7 | G180 | 179.3 | 5.7 |
| G185 | 184.3 | 5.7 | G185 | 184.3 | 5.7 |
| G190 | 189.3 | 5.7 | G190 | 189.3 | 5.7 |
| G195 | 194.3 | 5.7 | G195 | 194.3 | 5.7 |
| G200 | 199.3 | 5.7 | G200 | 199.3 | 5.7 |
| G205 | 204.3 | 5.7 | G205 | 204.3 | 5.7 |
| G210 | 209.3 | 5.7 | G210 | 209.3 | 5.7 |
| G215 | 214.3 | 5.7 | G215 | 214.3 | 5.7 |
| G220 | 219.3 | 5.7 | G220 | 219.3 | 5.7 |
| G225 | 224.3 | 5.7 | G225 | 224.3 | 5.7 |
| G230 | 229.3 | 5.7 | G230 | 229.3 | 5.7 |
| G235 | 234.3 | 5.7 | G235 | 234.3 | 5.7 |
| G240 | 239.3 | 5.7 | G240 | 239.3 | 5.7 |
| G245 | 244.3 | 5.7 | G245 | 244.3 | 5.7 |
| G250 | 249.3 | 5.7 | G250 | 249.3 | 5.7 |
| G255 | 254.3 | 5.7 | G255 | 254.3 | 5.7 |
| G260 | 259.3 | 5.7 | G260 | 259.3 | 5.7 |
| G265 | 264.3 | 5.7 | G265 | 264.3 | 5.7 |
| G270 | 269.3 | 5.7 | G270 | 269.3 | 5.7 |
| G275 | 274.3 | 5.7 | G275 | 274.3 | 5.7 |
| G280 | 279.3 | 5.7 | G280 | 279.3 | 5.7 |
| G285 | 284.3 | 5.7 | G285 | 284.3 | 5.7 |

●G 계열오링

| 부품번호 | 규격 | |
|------|-------|-----|
| | 내경 | 두께 |
| G325 | 324.3 | 5.7 |
| G330 | 329.3 | 5.7 |
| G335 | 334.3 | 5.7 |
| G340 | 339.3 | 5.7 |
| G345 | 344.3 | 5.7 |
| G350 | 349.3 | 5.7 |
| G355 | 354.3 | 5.7 |
| G360 | 359.3 | 5.7 |
| G354 | 364.3 | 5.7 |
| G370 | 369.3 | 5.7 |
| G375 | 374.3 | 5.7 |
| G380 | 379.3 | 5.7 |
| G385 | 384.3 | 5.7 |
| G390 | 389.3 | 5.7 |
| G395 | 394.3 | 5.7 |
| G400 | 399.3 | 5.7 |

| 부품번호 | 규격 | |
|-------|--------|------|
| | 내경 | 두께 |
| V15 | 14.5 | 4.0 |
| V24 | 23.5 | 4.0 |
| V34 | 33.5 | 4.0 |
| V40 | 39.5 | 4.0 |
| V55 | 54.5 | 4.0 |
| V70 | 69.0 | 4.0 |
| V85 | 84.0 | 4.0 |
| V100 | 99.0 | 4.0 |
| V120 | 119.0 | 4.0 |
| V150 | 148.5 | 4.0 |
| V175 | 173.0 | 4.0 |
| V225 | 222.0 | 6.0 |
| V275 | 272.0 | 6.0 |
| V325 | 321.5 | 6.0 |
| V380 | 376.0 | 6.0 |
| V430 | 425.5 | 6.0 |
| V480 | 475.0 | 10.0 |
| V530 | 524.5 | 10.0 |
| V585 | 579.0 | 10.0 |
| V640 | 633.5 | 10.0 |
| V690 | 683.0 | 10.0 |
| V740 | 732.5 | 10.0 |
| V790 | 782.0 | 10.0 |
| V845 | 836.5 | 10.0 |
| V950 | 940.5 | 10.0 |
| V1055 | 1044.0 | 10.0 |

●V 계열오링

| | | | | | | | | |
|------------|------|-----|-------------|-------|-----|-------------|-------|-----|
| P56 | 55.6 | 5.7 | P320 | 319.5 | 8.4 | G290 | 289.3 | 5.7 |
| P58 | 57.6 | 5.7 | P335 | 334.5 | 8.4 | G295 | 294.3 | 5.7 |
| P60 | 59.6 | 5.7 | P340 | 339.5 | 8.4 | G300 | 299.3 | 5.7 |
| P62 | 61.6 | 5.7 | P355 | 354.5 | 8.4 | G305 | 304.5 | 5.7 |
| P63 | 62.6 | 5.7 | P360 | 359.5 | 8.4 | G310 | 309.3 | 5.7 |
| P65 | 64.6 | 5.7 | P375 | 374.5 | 8.4 | G315 | 314.3 | 5.7 |
| P67 | 66.6 | 5.7 | P385 | 384.5 | 8.4 | G320 | 319.3 | 5.7 |
| P70 | 69.6 | 5.7 | P400 | 399.5 | 8.4 | | | |

AS568계열I

AS568계열 II

JIS B2401계열
(P,G,V)

K계열 I

K계열 II

900계열

비규격
연결오링